Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



WILLIAM TRICKER

Waterlily Specialist FEB 4 1826

Originator and Introducer of Waterlilies

Largest Grower of Aquatics in America

ARLINGTON · NEW JERSEY



New Waterlily, General Persbing. (See page 8)



AUGUST KOCH

A Tender Waterlily of Richly Beautiful Coloring

This variety originated with Mr. August Koch, Chief Florist of Garfield Park, Chicago, and was named in his honor. It is a remarkable bloomer and does exceedingly well outdoors. The color is well shown in this picture. The flowers are 6 inches or more in diameter, and will remain fresh for nearly a week. \$2 each. (See page 9.)



HE culture and appreciation of Waterlilies and aquatic plants, while only in its infancy in this country, dates back to the time of the Egyptian Pharaohs. Inscriptions, drawings, and preserved petals show the association of the flowers with ancient Egyptian art and literature. The term Lotus was applied to both Nymphæas (Waterlilies) and Nelumbiums (Lotus). Wrapped with the body in the mummy cloths have often been found petals of the white and the

blue "Lotus" of the Nile.

Travelers and botanical explorers found many Waterlilies indigenous to various parts of the world. From Egypt, Australia, Europe, Africa, China, Japan, East and West Indies, North and South America were gathered the native species, and in the hands of the hybridists these have

produced many wonderful and startling varieties.

The first record we have of an aquatic greenhouse is that of one built in England, in 1849, for the purpose of growing that marvelous giant of the Waterlily family, the Victoria Regia. Here also were grown some other

water plants.

The earliest great impetus given to the advancement of aquatic gardening was through the work of M. Marliac, a Frenchman. This gentleman produced, through careful and patient hybridizing, some wonderful hardy Waterlilies—some of which are still unsurpassed by later acquisitions. It was about 1885 that M. Marliac began to disseminate some of his hybrids. His work was entirely with the hardy types.

The tender or tropical Lilies received more attention on this side of the Atlantic. The late William Tricker produced several of sterling quality that rank among the best now offered. His last additions were in the vivi-

parous group—those reproducing on the leaves.

In the last five years only very few varieties have been produced, and most of these have been the work of Mr. George Pring, of the Missouri Botanical Garden. His latest hybrid, named after his wife, represents the


greatest single step along one line in the history of aquatics.

The commercial side of aquatic gardening has advanced so much in the last ten years that much of the research and experimenting work has of necessity been carried on in botanical gardens. Where, but a few years ago, it was unusual to see a water-garden, one now looks for a pool or pond beautified by this attractive family of plants. The Lily-pools in the parks are eagerly sought by the city dweller, attracted by the beauty and restful peace. But the parks are not the only places where one finds the Lily-pool. Thousands have small concrete pools, or even tubs and half-barrels, to accommodate the aquatic plants.

Following These Cultural Directions Will Insure Success in the Growing of Waterlilies and Aquatic Plants

The culture of Waterlilies is so simple that it might almost be said that "they just grow themselves." Their modest requirements are sun, water, and rich soil. In deciding on a place for a natural water-garden, one is naturally led to select a low spot. A stream of water running through this or near it can easily be dammed or diverted so as to form a pond. The digging up and grading of the ground to be flooded is the first consideration.

Of course, it is not possible for everyone to have such a location, but almost everybody can have built or can themselves construct an artificial pool. In this event, any location that is available would be satisfactory, provided it is exposed to the full sun. The construction of an artificial



Lily pool in the garden of Dr. F. N. Thomsen, Tyler, Minn.

pool is taken up on page 5 of this catalogue. These directions were written

by an expert and anyone can follow them easily.

Rather than have no water-garden at all, the interested party can grow many of the varieties in tubs or half-barrels sunk in the ground. The selection of Lilies suitable for tub-culture is easily made, as the varieties suited for this purpose are indicated in the catalogue.

Soil. The matter of getting the soil ready for the growing of aquatic plants is important. In preparing a piece of ground about to be flooded, it is well to dig into the soil a generous amount of thoroughly rotted manure, with the addition of a small amount of bone-meal. An excellent soil for use in tubs or artificial pools is made by mixing three parts of rotted sod, compost, or good top-soil with one part of cow-manure, or good barnyard manure. All manure used must be thoroughly decomposed, to prevent fermentation when covered with water. Ground bone or bone-meal may be used if necessary, at the rate of one quart to one bushel of soil.

Size of Pool. The larger the water-surface the better the results. A tub or half-barrel 2 feet in diameter will furnish a miniature pool. An artificial pool should be made as large as possible, and 2 feet deep. Where clay is very abundant, it is quite possible to line an excavation with this in such a manner as to have it watertight. Make an artificial pool as natural as possible and avoid stern lines and too apparent masonry. A generous planting of moisture-loving plants around the edge of the pool or pond will furnish an added charm to the plants in the pool itself. Such plants as are suitable for this purpose are listed in this catalogue.

Water. One foot of water over the soil is the most desirable depth in artificial pools. Some will thrive in shallower water, but few will stand a depth exceeding 2 or 3 feet. A continuous flow of water tends to keep the temperature in the pool low and must be avoided. After the pool is once filled it is only necessary to replenish that which evaporates. An occasional syringing in the afternoon will supply this and will benefit the plants.

How to Plant. To plant in natural ponds, where the water does not exceed 2 feet, it is only necessary to press the rhizome (the hard, fleshy part of the root) into the mud until the crown (the growing end) is just beneath

the surface of the mud. If the root shows a tendency to float, a flat stone or brick may be employed as a weight to hold it down. To plant in a depth exceeding 2 feet, it is best to start the plants in baskets of good soil. Place these in shallow water and when the plants are rooted and making growth

they may be sunk at the desired place.

In artificial pools that are not large, one foot of soil may be spread over the floor of the pool. For large pools there is no better plan than that of using boxes 2 to 3 feet square and 1 foot deep. By adopting this plan, it is quite possible at any time, even when the plants are in full growth, to move the entire box of soil. All soil in artificial pools should be covered with a generous layer of sand to prevent anything rising from the soil to discolor the water.

For tub-culture, fill the tub two-thirds full of soil, cover with sand, and

fill with water.

When to Plant. Hardy Lilies begin to grow in the latitude of New York City about the end of April. At this time I begin to ship hardy stock to southern points and the Pacific Coast. As the season advances I ship according to weather conditions. Tender Lilies should not be planted out until warm, settled conditions are assured. This is usually about the end of

May in the latitude of New York City.

Last spring the season was very late, which, with a very large increase in orders, crowded our shipping so that many were delayed. However, this seems to have been for the best, for late planted stock did, in most cases, exceedingly well. All orders are picked and packed by experienced men; each is handled separately, and every care is given that it will be properly selected, packed, and dispatched so that the plants will be a pleasure to you.

Every order is acknowledged as received and is filed under a number (given in the rotation received). This number is mentioned on the card of acknowledgment sent in receipt of the order, so that, should occasion require it, the order can be promptly located. So, in writing concerning an order already placed, please be sure to give the number under which it

was acknowledged.

How Far Apart to Plant. In small ponds allow from 3 to 5 feet each way. The idea of group planting in large ponds is most effective. Plant six or more plants of one variety in a group and let each group be 20 to 30 feet apart. The individual plants can be planted 18 to 24 inches apart. In this manner a very fine showing may be made. In tubs or half-barrels one plant is all that can be accommodated; the plant should be of moderate growth.

Winter Care. The one condition necessary for the safe wintering of hardy Lilies is to see that the roots are not actually frozen. This is provided in natural ponds by a sufficient depth of water. Artificial pools may be drained and then filled with leaves which will provide the necessary protection; or the pools may be covered with boards and a covering of manure or leaves placed on top. Tubs may be treated the same way or removed to a root-cellar for the winter.

Tender Lilies had best be considered as annuals, for unless one has the proper facilities for caring for them under glass, it is useless to attempt keeping them. Young growing plants, purchased at the right time in the

spring, give greater satisfaction and save much trouble.

Goldfish and Mosquitoes. Any fish in the pool are attractive and serve to destroy the wigglers that hatch into mosquitoes and larvæ of other insects. One or two fish are all that would be needed in a tub, and a dozen would stock a 15-foot pool.

Insect Pests. The insects met with in the growing of aquatics are mostly the green and black aphis. These collect on the upper surface of the leaves or any part above the water, where the fish are unable to reach them. They may be kept down by using a strong force of clean water to wash them off into the water where the fish may devour them. A solution of Aphine, mixed according to directions on the container and applied in a very fine spray, will destroy them.

Muskrats are sometimes troublesome in natural ponds and should be

exterminated by the use of steel traps.

Green Scum. This often forms on the surface of the water in the spring, especially if fresh soil has been used or the soil disturbed. It does not last very long, especially after the Lilies begin to make strong growth. When really unsightly, this scum can be carried off by allowing the pool to overflow. It is safer not to attempt its destruction by the use of any chemical because of the very possible damage to the plants or fish.

Replanting Hardy Lilies. It will be necessary to provide new soil every second or third year for plants grown in boxes or tubs. Remove as much of the old soil as is possible without disturbing the roots and replenish the soil. After several years the plants should be divided and separated.

Fertilizing. This can be accomplished by applying ground bone early in the spring directly to the boxes, when so planted, or by broadcasting it over the surface of the water. It is quickly taken up by the water and furnished to the roots of the plants.

Packing. All goods are packed carefully, to assure safe arrival. One customer from the state of Washington wrote last season that "the plants arrived in perfect condition and it was almost impossible to believe that they had actually crossed the continent." Of such a record I am proud and will always do everything in my power to see that every customer is just as well pleased. We ship anywhere and do not hesitate to assure you that goods, unless delayed by some unusual circumstance or mishandled, will arrive in good condition.

Assistance in the selection of varieties or in making suggestions will be gladly given. I aim to be of real service to my patrons. In requesting information, always give as full a description of your conditions as possible in your first letter. It will save time.

I would be very glad to have submitted to me photographs of pools, ponds, or tubs that would be available for illustrations either in catalogue

or advertising matter.

THE TALK OF THE TOWN

I am sure you like to hear of the success of some of your deliveries. I purchased the "Pring Trio" and they were delivered, I believe, about the third week in June. In three weeks Mrs. Pring was showing buds; the fourth week Mrs. Whitaker, and in six weeks I had five beautiful flowers open, two white, two blue, and one pink Gen. Pershing. My pond is the talk of the town and people are always stopping, asking to see it.—Mrs. Minnie Seward, Maryland, July 27, 1925.

THE FINEST BLOOM OF ALL

The blue Mrs. Whitaker in the foreground (page 2) is by far the finest bloom of all the lilles. Since it came into bloom it has never been without one or two flowers.—Dr. F. N. Thomsen, Minnesota, August 26, 1025.

WATERLILIES A DELIGHT

"Nothing in my garden has given me more pleasure than the results I obtained from your planting suggestions. Everything lived and has done nicely with the exception of two Arundo donax variegata; it was very hot when the order was filled and these two were beyond saving when they arrived. The waterlilies were a delight though the Lotus dentata did not bloom at all."—DR. ERNEST EARL ELLIOTT, Rochester, N. Y., Oct. 27, 1925.

SEE THE POOL FIRST

Before the 4th of July I had flowers on my plants and they have been in bloom ever since. My friends on coming to see me always wanted to see the "lily pool" first and it has been a source of pleasure to me as well as them.—Edward A. Albaugh, Maryland, Oct. 5, 1025.





The finished pool, built by Mr. R. E. Bishop, according to specifications here given

Garden Pools That Have Natural Charm and Color

A rapidly increasing proportion of fine residences include plans for garden or lawn pools. The formal pool in the grounds of the more elaborate estate is an accepted and almost prevailing feature. For smaller homes, owners have sought satisfactory specifications for a more informal type of pool, less costly and elaborate than the former, yet possessing all the refreshing charm that a pool with its water flowers and natural life offers. A sketch illustrating this informal type of pool, together with speci-

fications for building it, are given here. These plans were followed by R. E. Bishop in building the pool in his own garden.

This pool is distinguished from those of the ordinary kind by its permanent green cement lining, deep in color, giving the unfading background of natural beauty and charm that tints the water of a mountain pool—a feature which artificial pools usually lack, and which leaves them noticeably "artificial."

The green lining is an integral part, installed when the pool is built, not a feature added afterward, and is colored with Master Builders Colormix, a permanent colored hardner whose true color lasts indefinitely. It is not a surface color, like paint, which soaks off or scrapes off when the pool is cleaned. The Colormix lining should be from ½ to ¼ inch thick.

Its hardness increases with age.

Colormix Concrete, in green and seven other colors, has a great many applications in landscape architecture. Its increasing use in pools has prompted us to publish these architectural details and sketches, to assist owners who plan similar installations.

Colored Concrete Ideal for Landscape Work


Among nature's colors you seldom find plain gray. Your garden is bright with greens, reds, yellows, blues—all the colors of the rainbow in a thousand varying tints—but cold and neutral gray is not found unless

human hands have placed it there.

Given time, nature will color even the gray stone and cement that the home-builder adds. He looks forward to the time when "the newness" of his garden walk or his concrete terrace, or the fresh cut-stone border about flower-beds, garden pools, etc., will have "worn off." New, they are out of harmony with their colorful surroundings.

But why install unsightly gray concrete in the first place?

Colormix Concrete, in shades and tones that from the beginning will add warmth and charm and will always harmonize with the natural beauty of lawn and garden, are now to be had at a cost but slightly higher than that of ordinary concrete. The garden walk, the cement tennis court, the concrete driveways, terraces, and other cement areas have been given lasting beauty by the use of Colormix. Further information regarding this material and the method of using it can be had by writing either to William Tricker, Arlington, N. J., or to The Master Builders Company, Cleveland, Ohio.



Specifications for Building an Informal Pool

The informal pool does not involve a landscape architect. It need not involve a contractor. If the owner likes to get his hands dirty, he will put it in during the week-end. Here are the specifications for installing it:

Excavate a bowl-like depression, leaving sides at about a 45-degree angle. Tamp earth bottoms and sides. Line sides and bottom with heavy wire fence mesh, supporting it at a distance of 2 inches from the ground to permit concrete to entirely surround reenforcing. Prepare stiff 1-2-3 concrete mix, using ½inch stone. Waterproof by adding to the gauging water one gallon of Master Mix for every barrel of cement used.

Pour a 3-inch layer of this concrete, covering sides and bottom, and enclosing wire reenforcing. Place a second 3 inch thickness immediately.

enclosing wire reenforcing. Place a second 3-inch thickness immediately over the first and smooth with wood float.

When concrete has set a few hours, trowel on a skim coat 1/8 inch to ¼inch thick, consisting of one part sand, one part cement, gauged with water in which has been dissolved Master Builders Green Colormix in the proportions of 10 pounds of Colormix for each bag of cement used in scratch coat. Just before this scratch coat takes its final set, give it a second steel troweling. Wet down for three days, filling pool with water on fourth day.

A coping of field-stone, flat stone, or brick may be placed around rim while concrete is soft. Intake and outlet drains may be installed as in the formal pool if desired; these are often omitted to save expense in small pools, which can be easily filled by garden hose and drained by siphoning.

The Tricker Waterlily Tub

I have often been asked where tubs for Waterlilies could be purchased, and have finally located a manufacturer to furnish the Tricker Waterlily Tub. This Tub is made of first-quality white cedar and bound with electrically galvanized hoops—a construction that will last for years. The tub is 2 feet in diameter and 1 foot deep—the correct size for one plant suited for tub culture. In artificial pools this tub will be excellent to hold soil in which to grow the Lily. Price \$3.75 each, purchaser to pay transportation charges from factory in New York City.

Growing Tender or Tropical Waterlilies

The tender or tropical Nymphæas are all started in tanks in our greenhouses. The young plants are started in pots and are turned out of these before packing. They make very rapid growth but should not be planted out until warm settled weather is assured. In our latitude (that of New York City) this is the latter part of May or early June. The plants soon begin to flower, leaves and flowers getting larger as the plant develops. The climax is reached in August. All the tender Lilies are free blooming and do their best during the hot weather.

This class of Nymphæas is best suited for artificial pools. A box of soil 2 feet square and 1 foot deep is none too much to provide for each plant. A surface space of at least 25 square feet should be allowed. For an unusual display, plant two plants in a 3-foot box and allow a little more surface space. The flowers of all the tender Lilies are produced on stout stems and

are borne well out of the water. They are most desirable for cut-flowers, lasting from three to five days. The flowers close at night and open the following morning, except in case of the night-bloomers, which open in the evening and close the next morning.

The size of the bloom depends greatly on the room given to the plant, the amount of good soil, and the warmth of the summer. The quality of flowers produced is really remarkable. I have had plants that produced over 100 flowers in a single season. I noted last summer on one plant seven open flowers in one day. These were of varying ages from newly opened flowers to those five days old. The list beginning on page 8 gives these tender, or tropical, day-blooming Water-lilies.



This shows the form and vigor of our potted tender Lily plants

FOUR MONTHS OF BLOOM

Wednesday night, October 28th ender our flowering period, and such a sad summer we had due to the severe heat and drouth. However, we had one flower—a waterlily—in our small garden that opened up its beauty to us every morning in spite of the adverse weather conditions.

Some time around the first of June I wrote you and asked you to send me a lily of your choice, and you sent me Panama-Pacific. On arriving I put it in the half-barrel I had prepared for it and three or four days later it gave us its first bloom, and continued blooming without stopping until Nov. 23, 1925, considerably over a hundred flowers, all from one small plant in a half-barrel.—H. A. HURLEY, Arkansas.

New Waterlilies of Recent Introduction

GENERAL PERSHING


In the summer of 1922 I visited the Missouri Botanical Garden and there was in one of the pools a superb pink Waterlily of the day-blooming type. This variety Mr. Pring informed me he had named General Pershing. In size and color it is one of the very finest of the pink Waterlilies. Being a hybrid from Mrs. Whitaker and Castaliillora, it has inherited its size from the former but is an improvement upon the color of the latter. The dark green buds are striped with purple. The sepals are very light pink on the inside, but the petals are a warm bright pink. The flowers are of great substance, delightfully fragrant, open early in the morning, and are indeed most distinct from any of the other pink day-blooming Waterlilies. A most prolific bloomer; awarded silver medal of the Society of American Florists in 1923. Strong plants, \$5 each. (See illustration on front cover.)

MRS. GEORGE H. PRING

For many years there has been available only one tender day-blooming white Waterlily, and that has been of small size and rather unsatisfactory. While it has served as a parent for several very fine hybrids, it has always left much to be desired in itself. Mr. Pring had a very definite end in mind when he sought to produce a white variety in keeping with the present-day horticultural forms. Pure white in color, of large size (8 to 10 inches across), extremely fragrant, and most prolific in blooms, it has aroused admiration wherever seen. In 1922, the Society of American Florists awarded it their silver medal. (See illustration, inside back cover.) \$3.50 each.

HENRY SHAW

This variety, named in honor of the founder of the Missouri Botanical Garden, is almost identical in every characteristic with Castaliiflora except in color. Henry Shaw is a beautiful campanula-blue in color, with stamens of lemon-chrome, tipped with light campanula-blue. It is a moderate grower, a free bloomer, and of a delightful fragrance. The leaves are pinkish red underneath, spotted with light brown. An excellent variety. \$5 each.



"The Arlington Trio" on Puget Sound

ARLINGTON TRIO SATISFACTORY

I have had wonderful success with the lilies purchased from you last spring. I got the "Arlington Trio," and they sure did bloom. All summer long there were from one to eight in bloom about every day. I had two plants of white and one of yellow. The lilies are still blooming after the heavy frost we had last week. The Nelumbium also had two blooms and they sure were pretty. Everyone who has seen our pool thought it was pretty. And quite a few talked about wishing to have one also.—MRS. JOE TRIMBLE, Illinois, Oct. 16, 1925.

THE TRIO GROWS BEAUTIFULLY

"The Arlington Trio" grew beautifully. We had flowers all summer. The yellow-grew and bloomed the best and was in bud when the frost came. We think that was good for Bangor, Maine.—Carrie C. Redman, Bangor, Maine, Oct. 23, 1925.

Complete List of Tender or Tropical Lilies

Varieties in CAPITALS are the latest novelties

AUGUST KOCH. As a variety suitable for all general purposes there is none that surpasses August Koch. This Waterlily first came to my notice in 1922. It resulted from a natural cross in the lily-pools at Garfield Park, Chicago, under the care of Mr. August Koch, the chief florist. It belongs to the same group as Dauben, Mrs. Woodrow Wilson, and Panama-Pacific, all being viviparous (by this is meant the peculiar characteristic of producing young plants upon the surface of the leaf). We have had this variety continue in bloom for over two years in our greenhouses. In fact the original plants that we first received are today in flower and have not been without flowers for over three years. The flowers are 7 to 8 inches in diameter and open for four to six days. The sepals are purplish lilac and the petals pale wistaria-violet (Ridgeway Color Chart). Foliage strong and attractive. (See illustration in color on inside cover.) \$2 each.

Blue Beauty (N. pulcherrima). Of all the standard varieties, this is probably the most beautiful of the hybrid tender Nymphæas. Its flowers measure 10 to 12 inches in diameter and are of a delightful light blue color. The yellow stamens form a pleasing contrast to the petals. The sepals are marked on the outside with black lines and dots, and the leaves are spotted on the under side. A very free and continuous flowering variety. (See color illustration opposite page 12.) \$2 each.

Capensis (Cape Waterlily). The flowers are a rich sky-blue, 6 to 8 inches in diameter. The sepals (the outer part of the flower forming the bud) are green outside, whitish inside, flushed with pale blue. A free-flowering variety and very useful for cutting. \$1 each.

Capensis zanzibariensis. The superb Waterlily from Africa. The color is of the deepest purple. Flowers measure 6 to 8 inches in diameter, are strongly fragrant and produced very freely. \$2.50 each.

Capensis zanzibariensis rosea. A seedling variation from the type. The flowers are various shades of rose-pink; leaves pink on the under side. \$1 each. (See illustration on page 10.)


Cærulea. This is the ancient blue "lotus" of the Nile. The flowers are light cærulean blue, fading to nearly white at the base; stamens yellow, outside of the sepals marked with black lines and dots. Flowers 4 to 6 inches across, with pointed petals, and are produced in generous quantity. \$1 each.

CASTALIIFLORA. This variety produces very large flowers of a charming pink color, 8 to 10 inches in diameter. The very fragrant flowers open early in the morning and remain open until evening. The leaves are light green, mottled with brown on top and flushed with pink underneath. \$2.50 each.

Dauben. This variety is of European origin and is remarkable in that young plants spring from the upper surface of the leaves, over the point where the leaf joins the stem. These young plants begin to flower early and make an unusual display. I have seen plants that had been set out but eight weeks bearing large flowers from the center and surrounded by many leaves with young flowering plants upon them. On one specimen I counted 56 small flowers. The color of the flower is very light blue. The blooms are delicately scented; mature specimens frequently attain a size of 5 inches. Awarded a silver medal by the Newport Horticultural Society. \$1 each.

General Pershing. See page 8.

Gracilis. This is the white day-flowering tender Nymphæa of Mexico. The leaves (often 15 to 17 inches across) are green in color and the flowers often attain a diameter of 8 inches. Stems stout and bear sweetly scented flowers well above the water. My strain of Gracilis is unusually good; awarded Certificate of Merit by Society of American Florists at Houston, Texas. \$2 each.



Radically different from the other form, Nymphæa capensis zanzibariensis rosea should be grown in every large pool. See page 9

TENDER OR TROPICAL LILIES, continued

Ernst Ludwig. This hybrid of the Stellata type produces enormous flowers of a violet-blue color. It is a very early and continuous bloomer. Being a very vigorous grower it should be allowed ample space. \$2.50 each.

HENRY SHAW. See page 8.

Mrs. C. W. Ward. This splendid variety was produced from N. gracilis. It has the free-blooming characteristics of its parent, but produces a very much larger flower, deep rose-pink—almost red—in color. The stamens are yellow and the flowers rise well above the water. \$2 each.

MRS. EDWARDS WHITAKER. The largest flowering day-blooming hybrid, derived from the recently introduced Ovalifolia crossed with the many-petaled Castaliiflora. The enormous flowers are often 13 inches in diameter. They are produced on stout stems a foot above the water and open for the entire day. First the color is lavender-blue, lightening as the flower matures. This is one of the very finest of the blue Lilies and in great demand. (See color illustration opposite page 20.) \$2.50 each.

TENDER OR TROPICAL LILIES, continued

Mrs. George H. Pring. See page 8, and third cover page.

Mrs. Woodrow Wilson. This is one of my hybrids from Dauben and bears the same leaf characteristics. This variety is, however, much strongergrowing than its parent and produces lavender-blue flowers of much greater size. The stamens are yellow, tipped with the color of the petals. An extremely satis-

factory variety for medium-sized pools. \$2 each.

Ovalifolia (Tabora Waterlily). Of African origin; flowers of the largest size. Upon opening the first day the flowers are very pale, almost white, but as they mature, a shade of blue suffuses them. It is very free-blooming and the flowers are sweetly scented. \$5 each.

Panama-Pacific was produced in Arlington quite recently. It is everbloom ing, viviparous, strong-growing, and free-flowering. The buds, as they come out of the water, are bronzy green spotted with a reddish brown, opening rich, rosy red, which is quite pronounced in the full sun. When fully opened, the predominant color is reddish purple and the stamens are yellow. This is a new and distinct color in Waterlilies. An excellent variety for the conservatory in winter. (See color illustration opposite page 20.) \$2.50 each.

Pennsylvania. This is, in reality, simply an improvement on Blue Beauty, but while possessing all the good points of this excellent variety, it surpasses it in size of flowers, which are also a deeper and richer blue. (See illustration,

page 12.) \$2.50 each.

STELLA GURNEY. A spontaneous seedling, raised in Tower Grove Park, St. Louis. The parentage, recently proved by Pring, determines it a seedling from Mrs. C. W. Ward. It is a strong, free-blooming variety. Flowers are above the average in size, light rose-pink. Leaves light green, bearing extremely long petioles. \$2.50 each.

William Becker. An improvement on the variety, William Stone, with

which it is identical, except the flowers are more violet-purple. \$2.50 each.

WILSON GIGANTEA. This is a hybrid from our own Mrs. Woodrow Wilson crossed with Castaliiflora and bears many of its characteristics. The variety that Mr. Pring has produced is however a much stronger grower and bears larger flowers. These are 7 to 8 inches across and rise a foot above the water. The color is dark lavender-blue. \$3.50 each.

William Stone. This variety was produced from Gracilis. The purple flowers attain a diameter of 5 to 7 inches and have purple stamens and a yellow center. They open early in the morning and do not close until late in the afternoon. They are carried well above the water. \$2 each.

Night-Blooming Waterlilies

This class of Waterlilies differs from the other tropical Lilies in that the flowers open in the early evening and remain open until the morning sun becomes bright and warm. On cloudy days they remain open much longer and late in the season, when the weather becomes cooler, the flowers remain open nearly the whole 24 hours. They require the same cultural care as the day-bloomers. They are of distinct beauty and for evening decoration they are unsurpassed.

Bisset. A night-bloomer of unusually free-blooming habit. The flowers are of a beautiful rose-pink color, 8 to 10 inches across; the petals are broad and slightly concave, giving the bloom a cup-shaped form. \$2 each.

Dean. A strong and vigorous plant, with bronzy green leaves crumpled at the margin. The flowers are pure, light pink; sepals deep rose-pink and sta-

mens red. \$1.50 each.

Devonshire. The bright rosy red flowers are 8 to 10 inches across, and are borne on stout stems, well out of the water. The plant blooms most freely and

is one of the most desirable of the night-bloomers. \$1 each.

Frank Trelease. A superb variety. The rich crimson flowers are 8 to 10 inches in diameter, and the stamens are mahogany-red. The leaves are very attractive, being dark bronzy red. This is a most desirable variety. (See illustration in color opposite page 13.) \$1.50 each.



Bright yellow stamens and rich blue petals make Pennsylvania one of the most attractive varieties. See page 11

NIGHT-BLOOMING WATERLILIES, continued

George Huster. A free-growing and free-blooming variety. Flowers 10 to 12 inches across, and of a crimson color. A desirable acquisition to the list of night-blooming Nymphæas. \$2 each.

Jubilee. The flowers of this variety are of great substance, creamy white flushed with pink at the base of the petals. An excellent variety. \$1.50 each.

Juno (*Dentata superba*). This is a seedling from *N. lotus dentata*, with flowers 8 to 12 inches across. The petals are very wide, pure white in color, and open flat. The stamens are yellow, and the variety is very free-blooming and most desirable. \$3 each.

Kew. Very pale pink flowers; moderate grower, but free-flowering. \$1.50 ea.

Lotus. This is the variety indigenous to lower Egypt and mentioned so often in Egyptian literature. Petals of this variety have been found in the tombs of the Pharaohs. The flowers are large and somewhat cup-shaped and the petals are white and often slightly flushed with pink. The large green leaves have serrated edges and the plant is a strong and vigorous grower. \$1.50 each.

BLUE BEAUTY WATERLILY





FRANK TRELEASE

A Glorious Night-Blooming Waterlily that should be in your Collection

Certainly a Lily colored so gorgeously should find a place in every pool. Frank Trelease is one of the most delightful night-blooming varieties; the buds open early in the evening and remain open until the warm rays of the sun beat upon them next morning. Its rich red blooms appear to particular advantage when light-colored varieties about them offer a comparison. \$1.50 each. (See page 11.)



O'Mara is not suited for tub culture, but is most excellent for pools. See below

NIGHT-BLOOMING WATERLILIES, continued

Lotus dentata. The flowers are of the purest white, 8 to 10 inches in diameter, and are produced very freely. The petals open out horizontally. \$1 ea. Minerva (Dentata magnifica). The very wide, slightly concave petals give the appearance, when open, of a cup. The flowers are creamy white, and often attain a diameter of 12 inches; stamens pure yellow. \$2.50 each.


O'Mara. A very vigorous and strong-growing variety, producing flowers of the greatest size. The color is reddish pink with almost white stripes in the center of the petals. \$1.50 each.

Rubra (Red India Waterlily). The oldest and best red night-bloomer

in cultivation. The flowers are rosy carmine in color and attain a size of 8 to 10 inches. The plants grow very freely and produce many flowers. \$1 each. **Sturtevant.** An exceedingly beautiful flower, 8 to 12 inches across; bright

red. One of the very best Nymphæas, but requires liberal treatment and a hot

summer to bring it to perfection. \$2 each.



The variety General Pershing has been in bloom practically all summer in the garden of John S. Van Gilder, Knoxville, Tenn. See General Pershing, page 8

Hardy Nymphæas

The hardy Lilies or Nymphæas are best adapted for natural ponds, where the roots may be planted directly in the mud at the bottom. They may also be used to advantage in large artificial pools, and certain of the moderate-growing varieties are suited for small pools and tubs. The matter of planting and spacing is taken up in the general cultural notes in the fore part of this catalogue. In placing in natural ponds, avoid planting too near springs or any cold inlet. One should bear in mind in regard to hardy Lilies that they are hardy as long as the roots are not actually frozen or disturbed by the ice. A sufficient depth of water will afford all the protection needed.

Even though you have never attempted to grow Waterlilies you need have no fears about undertaking their culture. No special skill is required—just see that they have plenty of water and sun. The demand for hardy Lilies for the past few years has been so great that stock of some varieties was practically exhausted. This season several are again offered although in limited quantity.

Recent Introductions

In 1922 I was enabled to import some new and rare varieties of hardy Waterlilies from France. We have already offered some of these, but a few more of sterling worth are included for the first time this season. I can recommend all of them highly.

NOVELTIES OF STERLING WORTH

COMANCHE. An introduction of M. Marliac in 1908. The flowers are produced very freely from strong-growing, vigorous plants. Of all the varieties on trial in our ponds last summer, none gave better results than this one. The flowers are large, of a rich apricot color on opening but as the flower ages it becomes a dark copper-orange, streaked with glowing red. The foliage is olive-green flaked with brown. \$5 each.

CONQUEROR. A strong-growing variety, but one that does not spread its foliage on long leaf stems. The very large flowers are bright red, the sepals white, contrasting strongly with the brilliant color of the petals, and are lightly streaked with deep red; stamens are yellow-orange in color. \$7.50 each.

HARDY NYMPHÆAS, continued

GRAZIELLA. (M. Marliac's introduction.) This variety is of moderate growth and well suited to tub culture. The foliage is mottled with maroon and is brownish underneath. In color the flowers are yellow-red deepening to orange-red. \$5 each.

MASANIELLO. (Marliac, 1908.) The flowers of this variety are very fragrant and in form are all that could be desired of a hardy Lily. The plant is a very free grower and needs considerable room. The flowers are rose-pink, dotted with carmine; the sepals of the flower are white, making a very odd contrast to the color of the petals. \$3.50 each.

MRS. RICHMOND. While this variety was introduced by Marliac in 1910, it still continues very, very scarce because of its extreme slowness of propagation. It produces enormous flowers of tender violet-rose, deepening toward the center. The white sepals show off the flower and intensify the cupshaped style of it. This is indeed a lovely variety, very choice and exceedingly rare. \$25 each.

SEIGNORET. Although this variety was introduced by Marliac in 1879 and imported to this country, it has been impossible to obtain any here for some time. My stock has been replenished by a recent importation, and I am glad to be again able to offer it. The flowers are medium in size and rise 4 to 6 inches above the surface of the water. Upon opening, they show a predominating light yellow color which on the second day is slightly tinted with pink. Before the flower is finished, the pink shading has deepened to carmine. The leaves are spotted brown and the stamens are orange-yellow. The whole effect is most pleasing and the soft color was admired by all visitors here last summer. \$5 ea.

SOMPTUOSA. This variety of French origin is exceedingly beautiful and attractive. The flowers are really enormous, very double, and fragrant. The outer petals are rosy pink, gradually deepening toward the center, and lightly spotted with a deeper shade of color. Deep orange stamens complete the color combination of this excellent variety. \$7.50 each.

SPLENDIDA. A very large flower is produced by this variety. In general color it is deep red, the sepals shaded lightly with white, and streaked and bordered with carmine. The stamens are orange. A rather unusual but beautiful variety. \$7.50 each.

Select and Rare Varieties of Hardy Lilies

The choicest American and European hybrids are included in this collection. In the unique colors, exquisite tints, magnificence of form and substance of the flowers, they are not surpassed by any collection of Nymphæas. The prices at which the different varieties are offered will permit the owner of even the smallest garden to gratify his desires for a few of these splendid plants.

Andre. Flowers beautiful red and yellow; distinct and desirable variety. Can be grown in a tub. \$1.50 each.

ATTRACTION. This wonderful French introduction is one of the finest hardy Lilies ever produced. The flowers often measure 8 inches across and are produced very freely. Upon opening, the color of the petals is garnet-red and the sepals almost white; stamens yellow, lightly touched with mahogany. As the flowers mature the color deepens until it becomes a pronounced dark red and the sepals are streaked with garnet. A most worthy and valuable addition to any collection. \$10 each.

Aurora. A very much-desired variety. Its flowers are rosy yellow on the first day, red-orange on the second, and deep red on the third day. The stamens are orange-red and the leaves are mottled with brownish red. \$2 each.

ESCARBOUCLE. A most attractive and meritorious variety. The flowers are most striking in color, being a uniform vermilion-red. A free bloomer and a strong grower. Sure to become popular. \$10 each.

SELECT AND RARE VARIETIES OF HARDY LILIES, continued

FORMOSA. A large-flowering, clear pink Lily, with petals broad and incurving. \$5 each.

James Brydon. A superb variety, being a free grower with rosy crimson flowers, 4 to 5 inches in diameter. \$3 each.

LOOSE. A beautiful, large, white Lily, 5 to 7 inches across, with a delightful fragrance. Especially desirable because of its freedom and continuance of blooming. The flowers open very early in the day. One of the best of the white Nymphæas. \$1.50 each.

Paul Hariot. A grand and magnificent variety, producing flowers of large size, distinctive in color, firm in texture, and lasting in quality. Upon opening the first day, the flowers are clear canary-yellow, the second day they are shaded with pink at the base of the petals, and on the third day this pink suffuses the whole flower. This variety is very free-flowering, grows well under varied conditions, and has met with favor wherever seen. Awarded Society of American Florists' Certificate of Merit. (See color illustration opposite page 21.) \$3.50 each.

PINK OPAL. While this novelty is not of exceptional size, it has some other unusual points. The color is an exceptionally deep pink, and the bud is of a peculiar rounded form, the petals being very short and of unusual substance. The outstanding merit is its lasting qualities as a cut-flower. \$2 each.

Robinson. Large, floating flowers of dark orange-red. A free bloomer and should be in every collection. \$3 each.

ROSE AREY. A wonderful variety of the Odorata type, very free-flowering, and strong growing. The flowers are very large (last year we had flowers 8 inches across), and are sweetly scented. The color is clear cerise-pink and does not lighten toward the center of the flower. Awarded a Silver Medal by the New York Horticultural Society. \$2.50 each.

SIOUX. Large flowers of rich, brassy yellow, shaded red as the flower grows older; petals lanceolate; stamens deep yellow; bronzy green foliage, spotted reddish brown. French novelty. §3 each.

VESUVE. The flowers are of an amaranth-rose, extra large, free-blooming and constant. One of the very best dark-colored, hardy Nymphæas. \$5 each.

William Falconer. One of the finest of the dark red hardy Waterlilies. The color is a warm, brilliant red set off by the bright yellow of the stamens. The flowers are 5 to 6 inches in diameter, and, when the plant is well established, produced very freely. \$5 each.

GREAT BIG BLOOMS DAILY

You ought to see what splendid blooms General Pershing has in my pool this summer. Here are some photographs so that you can see just how much pleasure the General Pershings have given me this year. For weeks we have been getting great big splendid blooms, every day, and we expect them to continue their abundant blooming right up till frost. The color is exquisite pink.—John S. Van Gilder, Knoxville, Tenn., Sept. 3, 1025.

BLOOMS ALL SUMMER

Never before have I had such flowers; there has been continual bloom since July. Nothing has afforded us more pleasure than our lily-pond. No garden can be complete without flowering lilies.—A. K. Mayer, Indiana, Sept. 30, 1925.

THE BEST PART OF THE GARDEN

The plants arrived in due season and in good condition and we now take great pleasure in writing to tell you that the results have been far beyond our expectations. Our client is more than pleased with the investment and says that these liles have given him more pleasure than anything in the way of blossoms in his entire garden.—J. O. Lambert, Louisiana, July 14, 1925.

PLEASED WITH FIRST ATTEMPT

I am far more than pleased with my first attempt at growing waterlilies. People came from miles around to see the lilies. The Mrs. Edwards Whitaker bloomed more freely than the others, the largest bloom measuring 12 inches in diameter.—Karl Knisely, Indiana, Jan. 4, 1926.

All botanical and varietal names in this catalogue conform to Standardized Plant Names, edition of 1923

Complete List of Hardy Nymphæas

Alba. A vigorous and desirable variety. Flowers good-sized and pure white. An early and free bloomer. \$1 each.

Andre. See page 15.

Attraction. See page 15.

Aurora. See page 15. Comanche. See page 14.

Conqueror. See page 14.

Escarboucle. See page 15.

Eugenia de Land. This grand variety belongs to the N. odorata group, and is unequaled by any other of the same genus. Flowers extra large, of true N. odorata type, floating, petals long and lanceolate; color an exquisite shade of deep rose-pink of iridescent hues, with yellow stamens. Vigorous and free-flowering plants. Awarded Silver Medal by the Newport Horticultural Society. \$1.50 each.

Formosa. See page 16.

Gladstone. Flowers dazzling white, 6 to 8 inches across; petals concave and broad. A free and continuous bloomer and one of the finest white Lilies in cultivation. Strong grower, and should be allowed plenty of room. \$1.50 each.

Glory. A superb variety, with flowers 4 to 6 inches across, of deep carmine-rose. Free, continuous bloomer and a desirable Lily for general use in tubs or ponds. \$5 each.

Graziella. See page 15.

Helen Fowler. A natural cross of the N. tuberosa type; strong and of vigorous growth; flowers are borne on stout stems making it useful for cut purposes; deep pink and very fragrant. Certified by the Horticultural Society of New York. \$1 each.

Hopatcong (Odorata gigantea). Native of the southeastern states. Both the leaves and flowers are very much larger than the native Pond-Lily of the North, and this variety requires deeper water and more room to spread than any other sort. It is excellent for naturalizing. The leaves are light red underneath and the flowers are very large and pure white in color. A very effective variety to use for bold contrasts. 50 cts. each, \$5 per doz.

James Brydon. See page 16.

Lilac (Laydekeri lilacea). Flowers 3 to 5 inches across, rosy lilac, shaded bright carmine, with a tea-rose fragrance. Very desirable for tub culture. \$2.50 each.

Purple Laydeker. A free-blooming variety; flowers medium-sized, rosy crimson, with reddish orange stamens. Does well in tubs. \$2 each.

Loose. See page 16.

Marliac White. A vigorous variety; flowers large, of sparkling whiteness; stamens light yellow, sepals flushed pink; fragrant and produced freely and continuously through the season. Desirable and handsome. \$1 each.

Marliac Flesh. Similar to the preceding save in color, which is of a soft flesh-pink, deepening toward base of petals. \$1 each.



Nymphæa, Eugenia de Land

HARDY NYMPHÆAS, continued

Marliac Yellow (N. chromatella). A vigorous grower; flowers 4 to 6 inches across, bright canary-yellow, stamens deep yellow; leaves deep green, beautifully blotched with brown. \$2 each.

Marliac Rose. Resembles Marliac Flesh in habit and growth; flowers large, deep rose color; young leaves purplish red, changing to deep green. One

of the best for cutting. \$2 each.

Masaniello. See page 15. Mrs. Richmond. See page 15.

Odorata. The American Waterlily of the northeastern United States; flowers white, 3 to 5 inches in diameter, stamens yellow; leaves dark green above, under surface deep red to reddish green; splendidly adapted for planting in quantity in natural ponds. 35 cts. each, \$3.50 per doz.

ODORATA SULPHUREA GRANDIFLORA. Flowers fragrant; 5 to 7 inches across; sulphur-yellow in color and rising well above the surface of the water. Light green leaves mottled with brown. Very desirable. \$2 each.

Paul Hariot. See page 16. Pink Opal. See page 16.

PYCMY (N. tetragona). This is the Chinese Pygmy Waterlily which is best suited for shallow water or tub culture. The flowers are white with golden yellow center and sweetly scented. The flowers seldom are more than $1\frac{1}{2}$ to 2 inches across but are produced freely. Foliage dark green and mottled with brown on top, red underneath. A unique and lovely variety. \$1.50 each.

Pygmy, Yellow Helvola (*N. tetragona Helvola*). A very dainty yellow variety of above and extremely free-flowering. Very satisfactory **for tub**

culture. \$1 each.

Rose Arey. See page 16. Robinson. See page 16. Sioux. See page 16. Seignoret. See page 15. Somptuosa. See page 15. Splendida. See page 15.

Rose Magnolia (N. tuberosa rosea). Flowers of an exquisite shade of pink,

4 to 5 inches across, standing well out of the water. \$1 each.

Richardson. A white form of Rose Magnolia. Flowers 6 to 8 inches across, forming with its numerous petals a perfect globe when fully open. \$1 each.

Vesuve. See page 16.

W. B. Shaw. Flowers large, of rich rose-pink and very fragrant. A strong grower and continuous bloomer of *N. odorata* type. \$1 each. William Falconer. See page 16.

SPECIAL OFFERS

- THE ARLINGTON TRIO. This trio of Marliac varieties suitable for tubs or artificial pools or natural ponds, consists of one White, one Pink and one Yellow. Of all special offers I have ever made this has been the most popular and I am glad to be able to offer it again this season. Three plants, enough for a 6-foot pool, \$3.
- THE PARK TRIO. Three strong-growing varieties suitable for planting in natural ponds with a water-depth up to two feet, or in artificial pools. One each of Rose Magnolia, Richardson, and Yellow Marliac for \$3.
- THE JERSEY TRIO. Three varieties of my own introduction, tender, of moderate growth and suitable for tubs or artificial pools. One each of Dauben (very light blue), Mrs. Wilson (lavender-blue) and Panama-Pacific (purple) for \$5.
- THE PRING TRIO. Three varieties produced at the Missouri Botanical Garden. All of the largest size and finest color. Mrs. Pring (white), Gen. Pershing (pink) and Mrs. Whitaker (blue). Three plants for the price of the first two, \$10.

Special Collection of Night-Blooming Lilies

These wonderful plants will round out a collection of Day-bloomers and make the pool radiant and fragrant after the Day-bloomers have closed.

One plant each, of Red, White, and Pink, my selection (3 plants) of Night-bloomers, for \$3

Tender Waterlilies by Color

WHITE. Gracilis, Jubilee, Juno, Lotus, Lotus dentata, Minerva, Mrs. George H. Pring, Ovalifolia.

PINK. Bisset, Castaliiflora, Capensis zanzibariensis rosea, Dean, General Pershing, Kew, O'Mara, Mrs. C. W. Ward, Stella Gurney.

RED. Devonshire, Frank Trelease, George Huster, Rubra, Sturtevant.

BLUE or PURPLE. August Koch, Blue Beauty, Capensis, Capensis zanzibariensis, Cærulea, Dauben, Ernst Ludwig, Henry Shaw, Mrs. Edwards Whitaker, Mrs. Woodrow Wilson, Panama-Pacific, Pennsylvania, William Becker, Wilson gigantea, William Stone.

Hardy Waterlilies by Color

WHITE. Alba, Gladstone, Hopatcong, Loose, Marliac White, Odorata, Pigmy, Richardson.

PINK. Eugenia de Land, Helen Fowler, Formosa, Marliac Flesh, Marliac Rose, Masaniello, Mrs. Richmond, Pink Opal, Rose Arey, Rose Magnolia, Somptuosa, W. B. Shaw.


RED. Andre, Attraction, Conqueror, Escarboucle, Glory, James Brydon, Purple Laydeker, Robinson, Splendida, Vesuve, William Falconer.

BLUE or LILAC. Lilac.

YELLOW. Aurora, Comanche, Graziella, Marliac Yellow, Odorata sulphurea grandiflora, Paul Hariot, Pigmy Yellow, Sioux.



Tricker's Waterlilies in the New England garden of John V. S. Oddie, Stamford, Conn.



Nelumbium nucifera is almost as interesting for its associations as for its beauty

tic realm is the Lotus or Nelumbium. In all stages of growth the plant has an artistic ap-The great concave leaves, often over 2 feet in diameter, like

wonderful green shields borne on stout stems high above the water, are beautiful enough to win general admiration even without their "thousand-petaled flow-Then too, the

brown seed-pods, remaining after the flowers have blown, are so decorative that none can pass them by without observing them.

A symbol of evolution, it springs from the mud, lifting its golden-hearted blossom high over the water

that it may open pure and spotless to the sun. Held sacred by the Buddhist, it is to him emblematical of the soul of man, resting always in calm above the surging activities of the world; existing in the sunlight pure and undefiled; rooted in a world of experience.

Its personal beauty is appealing in leaf, bud, and opened flower, its poetic charm in its poise above the water, its perfume, and its symbolic appeal of religious thought. One may readily slip into the past when brought face to face with the open flower. He can in fancy see the kings and queens, the courts and courtiers of ancient Egypt; the priests and devotees of the temples, the scholars and poets of that long-ago time; a great company who paid homage, who worshipped, and who sang of this royal plant—the Lotus. The spell of the Nile still hovers around the blooms, even while their glory adds to the charm of our twentieth century gardens.

They are of easy culture, these Nelumbiums, but as they are rampant growers and heavy feeders they must be supplied with a very rich soil. They are transplanted in tuber form, but must not be removed until favorable weather conditions prevail—usually during the month of May. The tubers can only be supplied during a period of about six weeks for after that period they have usually advanced too far in growth for safe shipping. After that time pot-grown plants are available. They are produced by potting up tubers as soon as dug and placing them in warm tanks in the greenhouse.

Nelumbiums may be grown in half-barrels, in artificial pools, or in natural ponds. The tubers are hardy as long as they are protected from actual freezing, and are undisturbed in their natural winter quarters. For naturalizing in ponds, there is no variety better than Nucifera. The flowers, deep rose in color, rise like mystic flames from the dark water. Later, when the blooms open in the heat of the sun, the creamy tints about the bases of the inner petals render them even more beautiful. Magnolia, white, is also fine for naturalizing; our native Lotus, *Luteum*, with its yellow bud rising above the water, is superb.

Truly this is a wonderful genus of plants and worthy of every effort of cultivation to invite the inspiration that has served to elevate the minds of men for thousands of years.



Two Superb Day-Blooming Waterlilies

It is rather difficult to talk about these two Waterlilies without becoming over-enthusiastic. We shall try to be modest.

Panama-Pacific is one of my own introductions. On opening the buds are rosy red, changing to reddish purple. This color is distinctly new in Waterlilies. \$2.50 each. (See page 11.)

Mrs. Edwards Whitaker is probably the largest of the day-blooming hybrids—blooms measuring a foot or more across. The color is lavender-blue. \$2.50 each. (See page 10.)



PAUL HARIOT

This Waterlily is one of my favorites. Lily "fans" seem to agree with me, for I have featured it for several years and have not been able to supply the demand. This color picture is splendid—but it doesn't by any means equal a full open flower. First, the color is canary-yellow, then gradually turns to pink as the flower matures. You will like it, I am sure. \$3.50 each. (See page 16.)

NELUMBIUMS, continued

Because of the very large demand for Nelumbiums last spring, I have been compelled to withdraw several varieties from sale this year, in order to grow on the small stocks remaining. We have constructed ten new artificial pools for this purpose and hope in this manner to replenish the stock so that in future these varieties will not disappear altogether. The list here offered comprises all colors that come in this genus but does not include any of the very double varieties or those very rare.

Kinshiren. White, shaded rose-pink; early-flowering. Useful for tub culture. \$2.50 each.

Luteum. The American Lotus, or Water Chinquapin. This is a native variety indigenous to the southern and western states, but grows well in our eastern states. Flowers are creamy yellow. \$1.50 each.

Magnolia (N. nucifera alba grandiflora). Flowers pure white, large, and fragrant. \$2.50 each.

Nucifera (Egyptian Lotus). Exquisite flowers of a beautiful rose-color; vigorous and free-flowering. (See illustration, page 20.) \$1.50 each.

Peking. Flowers brilliant rosy carmine, 10 to 12 inches across. Plants vigorous and free. \$3.50 each.

VICTORIAS

Early in the year 1837, Sir R. Schonburgh was traveling in British Guiana when he came upon what he described as a "vegetable wonder." The plant he discovered had enormous leaves floating on the water, six feet in diameter and turned up on the edges five or more inches. The flowers were immense and rested upon the surface of the water; the fragrance was heavy and exceedingly rich. Previous to this date this plant had been observed by other travelers in other parts of South America, but Dr. Lindley was the first to describe it and he named it Victoria regia in honor of Queen Victoria. The first plant which flowered under cultivation was in England in 1849. Seeds which came to America produced plants which were first flowered outdoors in the gardens of Caleb Cope of Philadelphia, in 1851.

In 1894 a variety was introduced that habitats the Rio Parana and its tributaries. This variety coming from a cooler section of the tropics, adapted itself to our climate much better than Victoria regia which it has now practically supplanted. It was identified as Victoria cruziana, but was introduced to this country, under the parane of Victoria Tricheria.

country under the name of Victoria Trickeri.

A large area and plenty of rich soil are needed to mature the Victoria; at least three hundred square feet of surface room and a cubic yard of soil would be needed to produce large leaves, but it can be grown under the same conditions as the tender lilies. A tub or half barrel of soil with 15 inches of water over the crown of the plant will provide growing quarters for a plant that will flower and produce leaves three feet in diameter. It is not safe to plant out Victorias in the vicinity of New York City until the middle of June. Select a warm, sheltered spot in which to plant this wonderful specimen of the vegetable kingdom.

Victoria Trickeri (V. cruziana). Of vigorous and rapid growth, and produces its marvelous flowers at an early stage. A single plant often has from ten to fifteen well-developed leaves and frequently two flowers open at the same time. The flowers are white when first open, changing to deep rose the second day, and have a fragrance like a ripe pineapple. Plants, \$7.50 and \$10 each.

PRING TRIO IS A PRIZE

The three waterlilies (Mrs. Pring, Gen. Pershing and Mrs. Whitaker) which I bought from you in June, have been wonderful. Such large blossoms and so many of them. Am very much pleased with them. The white one (Mrs. Pring) blossomed in less than three weeks from the time it was set out. I set the plants in the dirt in my 6-foot pool and there is a foot of water above the dirt.—Mrs. Dwight J. Chrisler, New York, Sept. 16, 1925.

PLANTS ARE PERFECT

Plants arrived in perfect condition last Saturday. It was a pleasure to see them. Thank you.—Mrs. F. Dhus, Illinois, May 6, 1925.

Miscellaneous Aquatics

In a natural pond there is much shallow water in which one finds growing grasses, sedges and various perennials suited for that location. Here indeed a great many plants, interesting and beautiful, can be grown; and in an artificial pool it is well to simulate such a location. This can be done by means of pots, tubs or boxes of soil, or by making an inner wall—18 inches or more inside the wall of the pool. This wall, or the tops of the receptacles, should come to within six inches of the water surface. In this manner much unsightly masonry could be hidden. The list of plants following are suitable for planting in the above mentioned location.

ACORUS calamus variegatus (Yellowstripe Sweetflag). One of the finest variegated plants in cultivation. Hardy, 2 to 3 feet. Plant in very shallow water. 50 cts. for 2, \$2.50 per doz.

A. gramineus variegatus (Whitestripe Sweetflag). A dwarf-growing variety; very pretty variegation; 8 to 10 inches; useful also as a pot-plant. 50 cts. for 2.

- APONOGETON distachyus giganteus (Giant Cape Pondweed). provement on the old variety from Cape of Good Hope. The leaves float on the surface and are lanceolate in shape. The flowers are white, with dark anthers, borne on forked spikes in pairs, and are very fragrant. Does best in cool water. 75 cts. each.
- CALLA palustris (Water Arum). A dwarf perennial aquatic. This miniature Calla is an interesting plant for the margin of a pond. 50 cts. for 3.
- CALLA LILY (Zantedeschia æthiopica). One of the best water plants for summer use. Perpetual flowering; fine white flowers. Not hardy but can be kept indoors through the winter. Flowering plants, \$1 each.
- CERATOPTERIS pteridoides (Waterfern). A unique floating plant. 50 cts. for 3.
- COLOCASIA multiflora (Japanese Water Taro). A very unique foliage plant. The leaves are rich green, on dark purple stems. Can be grown as a house plant from tubers, using same cultural directions as for Chinese Sacred Lily (gravel and water in a shallow dish). As a marginal plant for the pool, it is very ornamental, as it will grow to a height of 4 or 5 feet. 50 cts. each.
- **CRINUM americanum.** A native plant of the Florida swamps. It produces its flowers in umbels of six or eight large, white and very fragrant blooms. Grows in any kind of soil, but must be kept wet. 35 cts. each.
- CYPERUS adenophorus. From Brazil; grows about 2 feet high. The flowers, greenish white in color, are produced in umbels and are quite interesting. Thrives well either as pot-plant or marginal plant. 25c. each, \$2.50 per doz.


C. alternifolius (Umbrella Palm). A very attractive plant for growing in small pools or in moist ground. 35 cts. each, \$3.50 per doz.

C. alternifolius variegatus. A white-variegated form of the preceding variety; very distinct and attractive. \$1 each. C. gracilis. Dwarf. Very useful for aquariums or small tubs, 75 cts, for 3.

- C. papyrus. This unique aquatic plant is extremely decorative and adapts itself readily to a very moist position. It is native to Egypt and is the true "Egyptian Paper Plant" of ancient fame. It can be grown in a large pot or tub of soil, submerged in water, or in the ground near the pool where it can be supplied with an abundance of water. 35 cts. and 50 cts. each.
- EICHHORNIA crassipes major. The native Water-Hyacinth of Florida, which grows so luxuriantly that it hinders navigation on the St. Johns River, but in our northern states it is destroyed with the first frost and thus could not become a nuisance. The flowers are rosy lilac and much resemble an orchid. If placed in shallow water, over soil, the roots will soon anchor the plants by penetrating into the soil, and under such conditions they flower most freely. 50 cts. for 3, \$1.50 per doz.

E. azurea. Flowers of a lovely shade of lavender-blue, with a rich purple

center; petals delicately fringed. Creeping habit. 50 cts. each.




The Water Poppy has large, floating leaves and straw-yellow flowers

MISCELLANEOUS AQUATICS, continued

- **GLYCERIA** spectabilis fol. var. A hardy perennial grass, desirable for low ground and margins of ponds; 3 to 4 feet; leaflets striped green. 50 cts. each.
- **HEDYCHIUM coronarium** (Gingerlily). A tender subaquatic plant which forms in moist ground a dense clump 3 to 6 feet high. The masses of pure white fragrant flowers look like large white butterflies. \$1 for 3.
- **H.** gardnerianum. A native of India, and while similar to the preceding variety, is considered the best of the genus and very desirable. In habit it is tall-growing and the light yellow flowers are followed by bright red berries. Quite a desirable semi-aquatic plant. \$1 for 3.
- HYDROCLEIS nymphoides (Water Poppy). A pretty plant, with floating leaves and yellow flowers; continuous bloomer. 50 cts. for 3, \$1.50 per doz.
- **JUSSIÆA longifolia** (Primrose-willow). A desirable aquatic, growing 2 to 3 feet high, erect, slightly drooping at the points, and producing numerous axillary flowers of a rich golden yellow, like an evening primrose. A good plant for tubs or planting on the edge of a pond. \$1 for 3, \$3.50 per doz.
- **LIMNOCHARIS flava.** An erect-growing plant, standing 1 to 2 feet out of the water, with elliptical leaves 4 to 6 inches long, of a velvety green. Flowers straw-color. 50 cts. each.
- MARSELLIA drummondi. A very pretty subaquatic plant with foliage resembling a four-leaved clover. Grows very quickly. 35 cts. each.
- MENYANTHES trifoliata (Bogbean). A perennial aquatic with creeping rootstocks in shallow water. Its fragrant white flowers are borne on stout stalks, fringed and suffused with pink. 50 cts. for 3, \$1.50 per doz.
- MYRIOPHYLLUM proserpinacoides (Parrot's Feather). An aquatic plant having long, trailing stems, covered closely with whorls of most delicate foliage. Planted in a tub or water-tight hanging-basket, it will quickly grow over the edges and becomes a beautiful sight. 50 cts. for 3, \$1.50 per doz.
- NYMPHOIDES indicum (Water Snowflake). A pretty, lily-like plant, producing masses of dainty snow-white flowers, beautifully fringed. 35 cts. each.
- N. peltatum (Floatingheart). A hardy aquatic plant, with nymphæa-like leaves and bright yellow flowers, produced very freely. \$1 per doz.

MISCELLANEOUS AQUATICS, continued

- **PISTIA** stratiotes (Waterlettuce). A floating aquatic. The leaves, which radiate from a common center, are soft and velvety; very pretty, and a rapid grower. 25 cts. each, \$2.50 per doz.
- **PONTEDERIA cordata** (Pickerelweed). A free-flowering plant, growing 2 feet high and producing spikes of blue flowers. 25 cts. each, \$2 per doz.
- SAGITTARIA montevidensis (Giant Arrowhead). Attains gigantic proportions, growing 4 to 5 feet high, leaves 15 inches long; flower-scape towers above the foliage, bearing white flowers, with dark blotch at base of each petal; suitable for margins or tub cultivation. 35 cts. each, \$1 for 3.
- S. japonica fl.-pl. The double-flowering Arrowhead; very desirable for planting in tubs or on margins of ponds and streams. 75 cts. each.
- S. sinensis (Giant Sagittaria). Leaves broad and strong, dark green; a free grower. Suitable for aquarium. 50 cts. for 3, \$1.50 per doz.
- SALVINIA braziliensis. A dainty floating plant. Leaves soft green, covered with delicate hairs. Suitable for aquarium. 25 cts. a bunch.
- **THALIA dealbata.** A fine and stately aquatic, with canna-like leaves, to be grown in shallow water or wet soil. Hardy. 50 cts. each.
- TRAPA natans (Waterchestnut). A hardy annual and very desirable for the aquarium, pool, pond, or tub culture. Foliage beautifully mottled or variegated; flowers white, small in proportion to the fruit or nuts which, when ripe, drop off and remain in the water until the following spring. \$2 per doz.
- TYPHA latifolia. Well known in the East as "Cat-tail." Is very attractive and decorative when grown in small clumps. It grows about 2½ feet high, and from the center the flower-spike arises 4 or more feet above the water. The spike is about 1 inch in diameter, 4 to 6 inches long, and dark brown in color. The foliage is narrow and very graceful. \$1 per doz.
- **ZIZANIA aquatica** (Wild Rice). This native aquatic annual is very ornamental; its graceful panicles of bloom are borne on stalks 5 to 10 feet high; should be grown in shallow water. \$1 per doz.



Water Hyacinths



This garden was awarded first prize for arrangement, condition of plants, color scheme, and care given. David Barrow Fischer, New Orleans, La.

Hardy Perennials for the Edge of the Pool

The question often arises as to what should be planted around the pool that will be in keeping with the aquatic plants. The answer can only be such perennials as will thrive in wet soil. Such a condition must be "made" around an artificial pool, but around a natural pond the place is already there. The following plants are most suited of all the hardy perennials for use under such conditions. Be sure to keep the ground around the artificial pool always moist. The luxuriant growth of these plants when plenty of moisture is available is astounding. Most of the perennials are grown in 3 and 4-inch pots, and when shipped from such are in best condition for planting. No roots are disturbed, as in digging from the field, and the plants quickly begin to produce results.

ASCLEPIAS incarnata (Swamp Milkweed). A good waterside plant, 2 to 3 feet high, with rosy purple flowers. Especially good in a semi-wild garden. 20 cts. each, \$2 per doz.

ASTER novæ-angliæ. These hardy New England Asters are very showy, and by reason of their late flowering are very desirable around the pool. They grow very easily under most conditions, but thrive in moisture. The color is violet-purple. 25 cts. each, \$2.50 per doz.

A. novæ-angliæ rosea. A pink form of the above described variety. 25 cts. each, \$2.50 per doz.

A., Peggy Ballard. A dwarf form of the hardy Asters. The color is delicate lavender-blue. 20 cts. each, \$2 per doz.

A. puniceus (Swamp Aster). A splendid variety for wet soil, and when planted under such conditions grows fairly tall and produces a wonderful profusion of lilac-blue flowers. 25 cts. each, \$2 per doz.

HARDY PERENNIALS, continued

- Aster, St. Egwin. The plant grows about 3 feet high, densely branched and of bushy habit. It produces fine, pure pink flowers in September, very valuable for cutting. This splendid Aster was given an Award of Merit by the Royal Horticultural Society, England; Certificate of Merit, Elberon Horticultural Society; Certificate of Merit, New Haven Horticultural Society; First-class Certificate of Merit, Newport Horticultural Society, Newport, R. I. 25 cts. each, \$2 per doz.
- ASTILBE davidi. A first-class plant recently introduced from China. The graceful flower-spikes are 5 to 6 feet high, with blooms of clear rosy violet. 50 cts. each, \$5 per doz.
- A. grandis. Somewhat similar to the preceding variety, but more vigorous; often 6 feet in height, with large, pinnate leaves 2 feet in length, and panicles of white flowers 2 to 2½ feet long. 25 cts. each, \$2.50 per doz.
- A., W. E. Gladstone. A very free, large-flowering variety, snow-white flowers; desirable for moist, shady places; June and July. 35 cts. each, \$3.50 per doz.
- A., Queen Alexandra. A beautiful hybrid of lovely pink. Largely used with the preceding variety as a pot-plant for forcing, but both are perfectly hardy and very desirable for the flower-garden. 25 cts. each, \$2.50 per doz.
- A. arendsi hybrida. A new type of this most interesting and very valuable plant, especially for the subaquatic garden. The plants are of very vigorous growth, 2 to 4 feet high, densely branched; feathery plumes of delicate coloring. The following varieties are offered:
- A. carminea. Well-branched spikes of rosy lilac; 3 feet. 50 cts. each.
- A., Ceres. Well-branched panicles; a brilliant rose; $2\frac{1}{2}$ to 3 feet. 50 cts. each.
- A., Gloria. A sterling variety of recent introduction. A vigorous grower, developing flowering spikes 2 feet high. Deep pink in color. 50 cts. each.
- A., Gruno. Finest of the pinks; light, graceful, spreading spikes; salmon-pink flowers; 4 feet high. 50 cts. each.
- **A., Venus.** Early-flowering; similar to Ceres; brilliant rosy purple. 50 cts. each. **A., Salland.** Very strong spikes of red flowers; 6 feet high. 50 cts. each.
- Mixed unnamed varieties of the Arendsii hybrids. 25 cts. each, \$2.50 per doz.
- BOCCONIA cordata (Plumepoppy). A tall-growing perennial that grows well in moist ground. Foliage silver-green. The flowers come in July and August, borne on stout stems like plumes. 25 cts. each, \$2.50 per doz.
- **CALTHA palustris** (Marsh Marigold). Bright yellow flowers early in spring; 1 foot high. 25 cts. each, \$2 per doz.
- **CLETHRA alnifolia** (Summersweet). One of the most charming of our native bushes; will succeed in almost any soil, but prefers a wet ground or margin of pond or stream; flowers white, of a spicy fragrance. 50 cts. each.
- **EUPATORIUM urticæfolium** (White Snakeroot). A strong-growing plant; most desirable for the semi-wild garden, growing 3 to 5 feet high; many white blossoms in late summer. Good cut-flower. 25 cts. each, \$2.50 per doz.
- E. cœlestinum (Mistflower). Light blue flowers similar to the ageratum; very free-flowering; late summer. 18 to 24 inches. 20 cts. each, \$2 per doz.
- **FILIPENDULA palmata.** The Spireas are well suited to the water-garden, and *F. palmata elegans* is perhaps the best of the group. The broad corymbs of flowers are white but appear to be a delicate pink because of the protruding pink anthers. 20 cts. each, \$2 per doz.
- F. ulmaria fl.-pl. (Meadowsweet). Grows 2½ to 3 feet high; a double white form; fine for naturalizing. 25 cts. each, \$2.50 per doz.
- **GENTIANA andrewsi** (Closed Gentian). A strong-growing plant, very pretty by the water-edge, with clusters of deep blue flowers in July and August. 25 cts. each, \$2.50 per doz.
- **HELENIUM autumnale superbum** (Sneezewort). A very attractive plant, growing 4 to 5 feet high, with broad-spreading heads of golden yellow flowers in late summer and fall months. 20 cts. each, \$2 per doz.



Hemerocallis in variety is a splendid plant for edging pools or natural water courses

HARDY PERENNIALS, continued

Helenium autumnale rubrum. A variety having bright terra-cotta flowers. 20 cts. each, \$2 per doz.

H., Riverton Beauty. A free-growing, distinct variety, having flowers of a rich lemon-yellow with a large cone of purplish black. 20 cts. each, \$2 per doz.

H., Riverton Gem. Of strong growth, 2½ to 3 feet high; flowers brilliant old-gold, suffused with bright terra-cotta, changing to wallflower-red. 25 cts. each, \$2.50 per doz.

H. pumila. A dwarf variety with bright yellow flowers. 20 cts. each, \$2 per doz.

HEMEROCALLIS aurantiaca. The hemerocallis, or Daylilies, as they are commonly known, are especially adaptable for planting around pools and ponds. This particular variety is of great worth. It grows 2 feet high and the rich orange-yellow flowers are of large size and sweetly scented. 25 cts. each, \$2.50 per doz.

H. Dumortieri. Dwarf; flowering in June. The flowers are a rich cadmium-yellow but the buds and the reverse side of the petals are more of a bronze-yellow, making a pleasing contrast. 25 cts. each, \$2.50 per doz.

H. fulva. A stronger variety than the preceding; grows 4 to 5 feet high; flowers orange, with deeper shadings. 20 cts. each, \$2 per doz.

H., Kwanso. A double form of the variety Fulva. Very satisfactory. 25 cts. each, \$2.50 per doz.

H., Dr. Regel. Very early flowering; a rich golden yellow. One of the very best Daylilies. 20 cts. each, \$2 per doz.

HIBISCUS. New Hybrids. Probably no other hardy plant has increased in popular favor more than the Hibiscus. It has always been an attractive flower, with its large, white, pink, and rose-colored flowers, but the hybrids are a new creation, not at all in the same class. The plants are vigorous and free-flowering, often exceeding 6 feet in height, branching, with monstrous flowers 24 to 30 inches in circumference, in all shades of color; a large planting in bloom is a magnificent sight. Being perfectly hardy, the plants are well adapted to all sections of the United States and Canada. My selection comprises the choicest deep, rich crimson shades, together with pink and white. These can be grown successfully in the herbaceous border; they will succeed in any good garden soil, but to have them in perfection, plant in the water-garden or on the margins of ponds. Selected varieties of White, Pink and Crimson, 35 cts. each, \$3.50 per doz. General assortment, \$2.50 per doz.

HOSTA undulata picta-media. The beautiful variegated Plantain Lily. Flowers in July on stems 2 feet high, lilac in color. 20 cts. each, \$2 per doz.

HARDY PERENNIALS, continued

IRIS germanica aurea. Golden yellow; distinct and fine. Dwarf in habit and desirable around artificial pools. 25 cts. each, \$2 per doz.



Iris Kaempferi

I. germanica, Mrs. Neubronner. Golden yellow. Probably the darkest pure yellow German Iris. 25 cts. each, \$2 per doz.

I. orientalis. Rich violet-blue; early flowering; very free; a useful and distinct variety. Should be in every collection. 20 cts. each, \$1.50 per doz.

I. orientalis, Snow Queen. Snowwhite variety of the preceding form; a distinct and very desirable companion. Extra. 20 cts. each, \$1.50 per doz.

I. pumila. Very interesting and attractive, being one of the earliest and showiest of spring flowers; of dwarf habit; royal purple. 20c. each, \$1.50 per doz.

Iris Kaempferi

Iris Kaempferi, or Japanese Iris, are the elite of the Iris family. The flowers begin to open about the third week of June (New York City latitude) and continue for several weeks. They grow well in any good garden soil but delight in an abundant supply of water. Planted in a moist situation they are wonderfully productive of blooms. They should be planted either early in the spring or in the month of September. They are valuable as cut-flowers and as such should be cut in the bud and allowed to expand in the water.

The demand for named varieties of Iris Kaempferi has been so great that it seems impossible to keep or procure large stocks. I have a limited supply of the varieties listed below. The most simple descriptions possible are given as the charm of these wonderful flowers cannot be truly described.

Blue Bird. Single. Deep velvet blue.

Eclair. Double. White, lightly veined blue, throat dull amber.

Gold Bound. Double. Pure white, orange center.

Grace Sperling. Single. Hortense-violet; very early; extra fine.

Hokaku-No-Neum. Double. White with dash of plum color. Very fine.

Kuro Kumo. Double. Purple overlaid with dark blue, yellow blotches; stigmas dark blue, bordered with purple. Very late.

Lavender Queen. Single. Fine lavender.

Mars. Single. Reddish purple, striped and blotched white.

Pyramid. Double. Violet-purple, veined white in center of each petal.

Victor. Double. White, veined purple, violet-purple center.

Any of the above, 45 cts. each. One of each of above (10 plants) for \$4 I also have 10 splendid varieties, unnamed, but all very fine. I offer 1 each of 10 different varieties for \$3

Seedling Japanese Iris

These are a fine lot of *Iris Kaempferi* raised from seed. They are strong plants and are very likely to produce some very fine flowers. They possess a splendid range of color and are far above the average in quality of bloom. Very fine for group planting. 20 cts. each, \$2 per doz.

- IRIS pseudacorus. This is the common yellow water-flag, flowering in May and June. Planted in water about 2 inches deep, it reaches its perfection, growing to a height of 4 feet. 20 cts. each, \$2 per doz.
- **LIGULARIA clivorum.** A plant of recent introduction from China, with enormous round leaves resembling somewhat the gigantic petasites, producing yellow flowers borne on stems 4 feet high. 25 cts. each, \$2.50 per doz.
- **LOBELIA cardinalis** (Cardinalflower). One of the most attractive plants of our native flora, seen along streams and low, moist ground, sometimes a few spikes of rich, fiery cardinal flowers; again in masses, when the sight is brilliant and dazzling. 15 cts. each, \$1.50 per doz., \$10 per 100.
- L. siphilitica. Grown under conditions similar to those of the preceding variety, it produces large spikes of flowers, 2 to 3 feet high, of a lovely shade of blue and occasionally white. 15 cts. each, \$1.50 per doz., \$10 per 100.
- LYTHRUM roseum, Perry's Variety. A grand improvement on the well-known Rosy Loosestrife, with much larger flowers and longer spikes of a glistening cherry-red. July to September. 25 cts. each, \$2 per doz.
- MYOSOTIS scorpioides (Forget-me-not). A light blue flower with yellow center, growing by streams or in wet places. 15 cts. each, \$1.50 per doz.
- SAURURUS cernuus (Lizardtail). A desirable plant for the margins of ponds or moist ground; grows 2 to $2\frac{1}{2}$ feet high, with terminal, drooping spikes of white, sweet-scented flowers. 25 cts. each, \$2 per doz.
- **STENANTHIUM robustum** (Featherfleece). A tall-growing plant, with showy panicles of pure white flowers, 35 cts. each.
- **THALICTRUM dipterocarpum.** A charming perennial. Its rosy lilac flowers are produced on tall, graceful spikes, 5 to 7 feet high, and contrast beautifully with the citron-lemon of the anthers. 50 cts. each, \$5 per doz.

Plants for Small Aquariums

Aquariums, with a few water-plants and several goldfish, are quite popular as an ornament for the city home, and furnish an everchanging amusement for the whole family. As an assistant to the nature-study class in the public schools the aquarium is indispensable, for through it the pupils become acquainted with various forms of aquatic life—fish, mollusks, plants, and algæ.

The fish must have water, but not stagnant, impure water, and the growing plants help to keep the aquarium clean and pure. When the aquarium is well balanced, that is, a given number of fish to the quantity of water, with sufficient plant-life to supply oxygen, then the aquarium is attractive and a source of pleasure. The following plants are adapted to the purpose, a few or more according to the size of the aquarium.

- CABOMBA caroliniana (Greenfanwort). A very interesting and popular plant. The light green leaf is fan-shaped, composed of filaments or ribs like a skeletonized leaf. 50 cts. for 3, \$1.50 per doz.
- **EICHHORNIA** crassipes major (Waterhyacinth). A curious and pretty plant in the aquarium, the long, silky, steel-blue roots reaching down in the water. The plant is of value in the aquarium during the breeding season, the roots being receptacles for fish-spawn. 50 cts. for 3, \$1.50 per doz.
- **ELODEA canadensis gigantea** (Giant Waterweed). A beautiful, submerged plant, with elongated, branching stems, thickly set with sessile, whorled or opposite leaves. A rapid grower and one of the best oxygenators. 50 cts. for 3, \$1.50 per doz.


PLANTS FOR SMALL AOUARIUMS, continued

- LUDWIGIA mulertti. One of the best and most useful plants for the aquarium, valuable as an oxygenator. The foliage is glossy dark green on the upper surface, the underside of leaf bright red. An attractive and distinctive plant. 50 cts. for 3, \$1.50 per doz.
- MYRIOPHYLLUM verticillatum (Popular Green Milfoil). Very fine leaves, pinnately parted and capillary; color a beautiful soft green. 50 cts. for 3, \$1.50 per doz.
- PISTIA Stratiotes (Waterlettuce). A very attractive aquatic, floating plant, with soft, light green velvety leaves; requires warm treatment in winter. 25 cts. each, \$2.50 per doz.
- **SAGITTARIA** sinensis gigantea. This is the most popular of submerged aquarium plants, and quite indispensable, as it can always be had in a good condition; a free grower and oxygenator. Leaves strap-like and broader than the preceding variety, of a dark, rich green color. 50 cts. for 3, \$1.50 per doz.
- UTRICULARIA vulgaris (Greater Bladderwort). A beautiful submerged plant, crowded with primate, many-parted capillary leaves, bearing numerous bladders. 50 cts. for 3, \$1.50 per doz.
- VALLISNERIA spiralis. (Italian type.) An evergreen form of eel-grass best suited for the aquarium. It has long, narrow leaves and is an excellent oxygenator. 50 cts. for 3, \$1.50 per doz.

Seven Assorted Aquarium Plants mailed prepaid for \$1

Note.—It is not possible to supply all the aquarium plants listed above at all seasons of the year, but I do endeavor to have on hand, in the fall and winter, a supply of those best suited for indoor aquariums.

Those desiring to establish aquariums in their homes will do well to consult books on the subject. Much valuable information for beginners—and breeders, too—is contained in "Goldfish Varieties and Tropical Fishes." This book is well written by one well informed. It contains 250 pages, with 195 illustrations. I can supply this book for \$4, postpaid.



Bamboos and Ornamental Grasses should be used as a background

Hardy Ornamental Grasses

The Ornamental Grasses are one striking feature in the garden in clumps, beds or borders, or on the margin of lakes, ponds, etc. In isolated clumps the Pampas is majestic; it is regrettable that it is not hardy. The next best is Eriantbus ravenum. The Miscanthus are best planted in irregular beds or groups with Pennisetum for a border or edging. Miscanthus sinensis gracillimus is the most graceful and may be planted very effectively near the water. For large beds Arrhenatherum makes a very desirable dwarf border plant.

- **ARRHENATHERUM bulbosum variegatum.** Dwarf variegated Oatgrass; fine for bordering where a white border is desired, as it retains its clear coloring all season. 20 cts. each, \$2 per doz.
- ARUNDO Donax variegata. A beautifully variegated form of the Giant Reed. 50 cts, each.
- ERIANTHUS ravennæ (Plume Grass, or Hardy Pampas). A very ornamental grass; flower-spikes 10 to 12 feet high; makes a most desirable specimen or clump on the lawn. 25 cts. each, \$2 per doz.
- MISCANTHUS sinensis gracillimus. The most useful and desirable of all the Eulalias. Its long, narrow, graceful foliage with silvery midrib renders it a very striking and distinct plant as a specimen or for grouping. 25 cts. each, \$2 per doz.
- M. sinensis variegatus. A very ornamental Grass, 4 to 6 feet high, with long, narrow leaves conspicuously marked with green and white, with handsome plumes. 25 cts. each, \$2 per doz.
- M. sinensis zebrinus (Zebra Grass). Very similar to the above variety, but the blades instead of striped are barred with yellow. 25 cts. each, \$2 per doz.
- **PENNISETUM japonicum** (Hardy Fountain Grass). This new addition to the Hardy Grasses is quite an acquisition; its habit of growth is heavier than the annual varieties; it grows from 3 to 4 feet high; foliage narrow, of a bright green, the flower-heads a silvery color, well above the foliage. 25 cts. each, \$2 per doz., \$15 per 100.

Hardy Bamboos

There seems to be something very fascinating about oriental things and the Bamboo is no exception to the rule. The beautiful foliage and the interesting canes are always attractive. They require a rich, well-drained soil. The banks of streams and the edges of ponds and pools make an ideal situation. The varieties listed are all hardy as far north as New York City and should be hardy even farther north if given a slight protection during the winter.

- BAMBUSA aurea. Close-jointed canes; leaves light, small and very graceful. \$1 each.
- **B. auricoma.** A green-and-yellow variety; very pretty; will grow to 3 feet. Makes a rather compact growth, and is most effective when used in connection with the green-leaved varieties. \$1 each.
- B. Fortunei. A dwarf variety, about 18 inches high, with green-and-white foliage. 75 cts. each.
- **B. palmata.** Undoubtedly the most attractive and satisfactory. Broad, rich green leaves, dense in growth; grows about 2 to 3 feet high. \$1 each.

Book of Water Gardening

By Peter Bisset, a famous authority on aquatics. Full of helpful information on all water plants—varieties, grouping, and cultivating. Well illustrated. 210 pages, bound in cloth. \$5 per copy.

To HelpYou Make Up the Order

RICES are quoted net. All goods travel at pur-

Shipping. All plants will be packed with the best of care to secure safe transit, but under no circumstances do I undertake responsibility for delay or damage to goods during transit.

Parcel Post. Small plants can be sent by parcel post, but delays occur very often. Beyond the 3d zone it is not only more satisfactory but even cheaper to send by express. I do not prepay postage, therefore please allow sufficient extra to pay postage; any money in excess will be returned.

Florida Shipments.—The State Plant Board has given me permission to ship "aquatic plants which have been grown in submerged soil, with soil around the roots, from Arlington, N. J., to points in Florida." Therefore orders will be accepted from Florida and filled on the same terms as from other states.

Canadian Customers should secure a permit from the Destructive Insect and Pest Act Advisory Board, Dept. of Agriculture, Ottawa, which permit will cover the importation of aquatic plants. Send the number of the permit to me, thus avoiding delay in delivery of shipments.

I Guarantee my plants to be true to name, and in good condition when shipped; but I cannot be responsible for results. Unusual climatic conditions and disregard of planting instructions are entirely beyond my control.

Complaints, if any, as to quality of goods, etc., can be entertained only when made immediately on receipt of goods. I shall always be ready to advise in regard to planting watergardens, and selections of varieties for certain purposes, and invite patrons to consult with me.

Place Order Early for spring delivery and prevent delay of shipment or planting.

Open Accounts. Financial references must be sent to open an account. No account opened on an initial order of less than \$10.

Substitutions. Sometimes—especially toward the end of the shipping season—I am unable to supply strong plants of some varieties. In such cases, unless otherwise instructed, I will substitute a variety as near like the one ordered as possible, of equal or greater value.

This is our 1926 Catalogue; it cancels all other previous price-lists

WILLIAM TRICKER: Arlington, New Jersey

PLEASE USE THIS ORDER SHEET

WILLIAM TRICKER

Water-Lily Specialist

ARLINGTON, NEW JERSEY

Please send the Waterlilies and Water Plants indicated hereon to Name Street Post Office_ Express Office_ State QUANTITY ARTICLES PRICE Cts.

| QUANTITY | ARTICLES | | PRICE | |
|----------|-----------------|----|-------|--|
| | | \$ | Cts. | |
| | | | | |
| | WILLIAM TRICKER | | | |
| | | | | |
| | MM | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | · | | CV. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | * | | | |
| | 100 | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



MRS. GEORGE H. PRING

Because of color, of fragrance, of size, this introduction of 1924 grows in popularity every day. It is, beyond question, the best of the white, tender day-blooming Waterlilies. In addition to its other good points, the plant is a free bloomer. \$3.50 each. (See page 8.)

WILLIAM TRICKER

Waterlily Specialist

Originator and Introducer of Waterlilies

Largest Grower of Aquatics in America

ARLINGTON · NEW JERSEY



Waterlily, Yellow Marliac. (See page 18)